


\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.  
 Applicant's unique citation designation number (optional). <sup>2</sup>See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.  
 Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**  
(use as many sheets as necessary)

Sheet 2 of 2

**Complete if Known**

Application Number	10/063,829
Filing Date	5/16/2002
First Named Inventor	Foo
Group Art Unit	
Examiner Name	
Attorney Docket Number	GEMS8081.119

RECEIVED  
AUG - 5 2002  
C-2800 MAIL ROOM**OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS**

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	2
DYL	C1	Moran, PR. A flow velocity zeugmatographic interface for NMR imaging in humans. Magnetic Resonance Imaging 1982; 1: 197-203.	
	C2	Bryant DJ, Payne JA, Firmin DN, and Longmore DB. Measurement of flow with NMR imaging using a gradient pulse and phase difference technique. J Comput Assist Tomogr 1984; 8: 588-93.	
	C3	Van Dijk P. Direct cardiac NMR imaging of heart wall and blood flow velocity. J. Comput Assist Tomogr 1984; 8: 429-36.	
	C4	Naylor GL, Firmin DN, and Longmore DB. Blood flow imaging by cine magnetic resonance. J Comput Assist Tomogr 1986; 10: 715-22.	
	C5	Swan JS, Grist TM, Weber DM, Sproat IA, and Wojtowycz MM. MR angiography of the pelvis with variable velocity encoding and a phase-array coil. Radiology 1994; 190: 363-9.	
	C6	Swan JS, Weber DM, Grist TM, Wojtowycz MM, Korosec FR, and Mistretta CA. Peripheral MR angiography with variable velocity encoding. Work in progress. Radiology 1992; 813-7.	
	C7	Ehman RL, Felmlee JP. Adaptive technique for high definition MR imaging of moving structures. Radiology 1998; 173: 255-263.	
	C8	Ho KY, Leiner T, de Haan MW, Kessels AG, Kitslaar PF, and van Engelshoven JM. Peripheral vasculature tree stenoses: evaluation with moving-bed infusion-tracking MR angiography. Radiology 1998; 206: 683-92.	
	C9	Meaney JF, Ridgway JP, Chakraborty S, Robertson I, Kessel D, Radjenovic A, Kouwenhoven M, Kassner A, and Smith MA. Stepping-table gadolinium-enhanced digital subtraction MR angiography of the aorta and lower extremity arteries; preliminary experience. Radiology 1999; 211: 59-67.	
	C10	Foo TKF, Saranathan M, Prince MR, and Chenevert TL. Automated detection of bolus arrival and initiation of data acquisition in fast, three-dimensional, gadolinium-enhanced MR angiography. Radiology 1997; 203: 275-80.	
	C11	Wilman AH, Riederer SJ, Huston J. 3 <sup>rd</sup> , Wald JT, and Debblins JP. Arterial phase carotid and vertebral artery imaging in 3D contrast-enhanced MR angiography by combining fluoroscopic triggering with an elliptical centric acquisition order. Magn. Reson Med. 1998; 40: 24-35.	
	C12	Riederer SJ, Fain SB, Kruger DG, and Busse RF. 3D-enhanced MR angiography using fluoroscopic triggering and an elliptical centric view order. Int. J. Card Imaging 1999; 15: 117-29.	
	C13	Prince MR, Chenevert TL, Foo TKF, Londy FJ, Ward JS, Maki JH. Contrast enhanced abdominal MR angiography: Optimization of imaging delay time by automating the detection of contrast material arrival in the aorta. Radiology 1997; 203: 109-114.	
	C14	Meany, Dr. James FM, Leeds General Infirmary, Leeds UK Moving Bed MRA, The Future of Peripheral Arteriography? Phillips	
	C15	Kouwenhoven, M., MRA with moving bed imaging, IX International Workshop on Magnetic Resonance Angiography and Introductory Course "New Horizons on MRA and CTA", Valencia, October 7-11, 1997, Book of Abstracts, The MR Angio Club, p. 158.	
	C16	Kruger, DG., Riederer, S.J., Grimm, R.C., Rossman, P.J., Continuously moving table data acquisition method for long FOV contrast-enhanced MRA and whole-body MRI. Magnetic Resonance in Medicine, 47: 224-231 (2002)	

RECEIVED

AUG 9 2002

TECHNOLOGY CENTER R3700

Examiner Signature		Date Considered	5-8-2002
--------------------	--	-----------------	----------



Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**  
(use as many sheets as necessary)

Sheet

23

of

23

**Complete if Known**

Application Number	10/063,829
Filing Date	5/16/2002
First Named Inventor	Foo
Group Art Unit	
Examiner Name	
Attorney Docket Number	GEMS8081.119

RECEIVED  
AUG - 5 2002  
TOL 2800 MAIL ROOM 2**OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS**

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
DCH	C17	K. Liu, B. Rutt, "Sliding Interleaved ky (SLINKY) Acquisition: A Novel 3D MRA Technique with Suppressed Slab Boundary Artifact", JMRI, 8: 903-911 (1998)
	C18	K. Liu, B. Rutt, "Systemic Assessment and Evaluation of Sliding Interleaved ky (SLINKY) Acquisition for 3D MRA", JMRI, 8: 912-923 (1998)
	C19	K. Liu, "SLINKY: More Understanding, Optimization and Application for High Resolution MRA", ISMRM Seventh Scientific Meeting, 1908, 1999.
	C20	K. Liu, Y. Xu, M. Loncar, "Artifact Transformation Technique: Shifted Interleaved Multi-Volume Acquisition (SIMVA) for 3D FSE, ISMRM Sixth Scientific Meeting, 1618, 1999.
	C21	K. Liu, Y. Xu, M. Loncar "Applications of Shifted-Interleaved Multi-Volume Acquisition (SIMVA) with Suppressed Slab Boundary Artifact", ISMRM Seventh Scientific Meeting, 1618, 1999.
1	C22	J. Hennig, "Overlapping Section Coverage in Multisection Imaging", JMRI, 3:425-432 (1993).
	C23	J. Pipe, "Spatial Encoding and Reconstruction in MRI with Quadratic Phase Profiles", MRM, 33:24-33 (1995).
	C24	J. Pipe, "Analysis of Localized Quadratic Encoding and Reconstruction", MRM, 36: 137-146 (1996).
	C25	O'Dietrich, J. Hajnal, "Extending the Coverage of True Volume Scans by Continuous Movement of the Subject", ISMRMSeventh Scientific Meeting, 1653. 1999.
DCH	C26	K.Y. Ho, T. Leiner, M.H. de haan, J.M. A. van Engelshoven, "Gadolinium Optimized Tracking Technique: A new MRA technique for imaging the Peripheral Vascular Tree from Aorta to the Foot using one Bolus of Gadolinium", ISMRM Fifth Scientific Meeting, 203, 1997.

RECEIVED  
AUG - 9 2002  
TECHNOLOGY CENTER 13700Examiner  
SignatureDate  
Considered

5-6-2004

**Burden Hour Statement:** This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**